



# SAFETY DATA SHEET

Printing date: September 3, 2021

## SECTION 1. Identification of the substance or mixture and of the supplier

- 1.1 Product identifier  
Trade Name:  
**NICE FIT**
- 1.2 Relevant identified uses of the substance or mixture and uses advised against  
Relevant identified uses: Dental material  
Uses advised against: No further data
- 1.3 Details of the supplier of the safety data sheet  
Company/Undertaking identification  
Manufacturer's Name: **SHOFU INC.**  
Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN  
Phone: +81-75-561-1112  
Fax: +81-75-275-4795  
Section in Charge: Quality Assurance Section
- 1.4 Emergency Telephone Number  
+81-75-561-1112

## SECTION 2. Hazards identification

- 2.1 GHS Classification
- |   |  |
|---|--|
| PHYSICAL HAZARDS  |  |
| FLAMMABLE LIQUIDS   | Category 2   |
| HEALTH HAZARDS  |  |
| EYE DAMAGE/IRRITATION                                       | Category 2B  |
| TOXIC TO REPRODUCTION                                       | Category 2   |
| SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE)   | Category 3 (respiratory tract<br>Irritation, narcotic effects)                       |
| SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE) | Category 1 (central nervous<br>system, respiratory organ,<br>gastrointestinal tract) |

The thing without mention is out of a classification object. Or cannot classify it.

- 2.2 Label elements  
SYMBOL



GHS02 GHS07 GHS08

SIGNAL WORD Danger

HAZARD STATEMENTS

- Highly flammable liquid and vapor
- Causes eye irritation
- May cause respiratory irritation



# SAFETY DATA SHEET

Printing date: September 3, 2021

May cause drowsiness and dizziness

Suspected of damaging fertility or the unborn child

Causes damage to organs through prolonged or repeated exposure (central nervous system, respiratory organ, gastrointestinal tract)

## PRECAUTIONARY STATEMENTS

[Prevention]

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wash hands thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

[Response]

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention.

[Storage]

Store container tightly closed in cool/well-ventilated place.

[Disposal]

Dispose of contents and container in accordance with regulation.

## 2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

## SECTION 3. Composition/information on ingredients

3.1 Chemical characterization: Mixtures

3.2 Description: Mixture of substances listed below with nonhazardous additions.

3.3 Dangerous components:

Composition	Gold	Silver	Type4 Gold	Gold-Silver -Palladium	Diluent
Aluminium Powder	10-20 %	—	10-15 %	5-10 %	—
Yellow Copper Powder	—	5-10 %	1-5 %	5-10 %	—
Acetone [Cas.No.67-64-1]	65-80 %	70-85 %	60-70 %	60-70 %	90-100 %
PMMA [Cas.No.7732-18-5]	10-15 %	10-25 %	10-20 %	10-20 %	—
	Others	Others	Others	Others	Others



# SAFETY DATA SHEET

Printing date: September 3, 2021

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

## SECTION 4. First-aid measures

### 4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present. and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5. Fire-fighting measures

### 5.1 Extinguishing Media:

Foam, CO<sub>2</sub>, Powder, Dry sand

### 5.2 Special hazards arising from the substance or mixture:

Easily flammable liquid in room temp.

Fire may produce irritating, corrosive and/or toxic gases.

### 5.3 Advice for firefighters:

Wear fire protective cloth and self-contained breathing apparatus, if necessary.

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

### 6.2 Environmental Precautions:

Send to approved treatment/disposal company or dispose according to local, state and federal regulations.

### 6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a stable container.

### 6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling:

Handle in a well ventilated place.

Keep away from open flames, sparks and sources of heat. No smoking.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool and dark area with container tightly closed.



# SAFETY DATA SHEET

Printing date: September 3, 2021

7.3 Specific end use(s):  
No further relevant information available.

## SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Exposure limits:

	ACGIH	NIOSH	OSHA-Final PELs
Acetone	500 ppm TWA 750 ppm STEL	250 ppm TWA (590 mg/m <sup>3</sup> TWA) 2500 ppm IDLH	1000 ppm TWA 2400 mg/m <sup>3</sup> TWA

8.2 Exposure controls:

Respiratory Protection:

Not required (use protective gas mask for organic gas, if necessary)

Skin Protection:

Hand Protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

Eye Protection: Safety goggles

## SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance/Odor/Colour:

Gold, silver or colorless transperence liquid with the Irritating odor.

Odour threshold

Not determined.

pH

Not determined.

Melting point/freezing point

Not determined.



# SAFETY DATA SHEET

page 5/7  
NICE FIT

Printing date: September 3, 2021

Boiling Point:	57 °C (as Acetone)
Flash point:	-18 °C (closed)
Evaporation rate	Not determined.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not determined.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative Density:	1.0-1.3 (water=1)
Solubility: water solubility	Insoluble
Partition coefficient: n-octanol/water	Not determined.
Auto-ignition temperature	Not determined.
Decomposition temperature	Not determined.
Viscosity	Not determined.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

- 9.2 Other information:  
No further relevant information available.

## SECTION 10. Stability and reactivity

- 10.1 Reactivity:  
No further relevant information available.
- 10.2 Chemical stability:  
Stable under normal temperatures and pressures.
- 10.3 Possibility of hazardous reactions:  
No dangerous reactions known.
- 10.4 Condition to Avoid:  
Excessive heat (high temperature), open flames, ignition source, and exposure to sunlight.
- 10.5 Incompatible materials:  
Strong oxidizing materials.
- 10.6 Hazardous Decomposition Products:  
None under normal conditions of storage and use.

## SECTION 11. Toxicological information

- 11.1 Information on toxicological effects:
- |                 |          |            |        |      |                             |
|-----------------|----------|------------|--------|------|-----------------------------|
| Acute toxicity: | Acetone; | Oral       | rat    | LD50 | > 5000 mg/kg                |
|                 |          | Dermal     | rabbit | LD50 | > 7400 mg/kg                |
|                 |          | Inhalation | rat    | LC50 | 32000 ppm/4H<br>(75.8 mg/L) |
- Skin corrosion/irritation: Based on available data, the classification criteria are not met.
- Eye damage/irritation: Eye Irrit. 2B; H320 Causes eye irritation.
- Sensitization to the respiratory tract:  
Based on available data, the classification criteria are not met.
- Skin sensitization: Based on available data, the classification criteria are not met.
- Germ cell mutagenicity/Genotoxicity:  
Based on available data, the classification criteria are not met.



# SAFETY DATA SHEET

page 6/7  
NICE FIT

Printing date: September 3, 2021

Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Repr. 2; H361 Suspected of damaging fertility or the unborn child.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure):  
STOT SE 3; H335 May cause respiratory irritation, H336 May cause drowsiness or dizziness.  
Specific target organ toxicity (repeated exposure):  
STOT RE 1; H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, respiratory organ, gastrointestinal tract).  
Aspiration hazard: Based on available data, the classification criteria are not met.

11.2 Information on other hazards:  
No further relevant information available.

## SECTION 12. Ecological information

12.1 Toxicity:  
Acetone:  
Fish toxicity: Fathead minnow; LC50/96H >100mg/L  
12.2 Persistence and degradability:  
No further relevant information available.  
12.3 Bioaccumulative potential:  
No further relevant information available.  
12.4 Mobility in soil:  
No further relevant information available.  
12.5 Results of PBT and vPvB assessment:  
Not applicable.  
12.6 Other adverse effects:  
No further relevant information available.

## SECTION 13. Disposal considerations

13.1 Waste treatment methods:  
Dispose of contents/container to in accordance with local/regional/national/international regulations.

## SECTION 14. Transport information

14.1 UN number: 1090  
14.2 UN proper shipping name: Acetone, solution  
14.3 Transport hazard class(es): 3 Flammable liquids.  
14.4 Packing group: II  
14.5 Environmental hazards: No further relevant information available.  
14.6 Special precautions for user: Not applicable.  
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:  
Not applicable.



# SAFETY DATA SHEET

Printing date: September 3, 2021

## SECTION 15. Regulatory informati

Follow all regulations in your country.

## SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

NFPA ratings for USA (scale 0-4)

Acetone;



Health = 1  
Fire = 3  
Reactivity = 0

Relevant HMIS-Ratings (Scale 0-4)

Acetone;

Health Hazard	1
Fire Hazard	3
Reactivity	0

Health = 1  
Fire = 3  
Reactivity = 0

Relevant phrases:

- H225 Highly flammable liquid and vapour.
- H320 Causes eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H361 Suspected of damaging fertility or the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure (central nervous system, respiratory organ, gastrointestinal tract).

Abbreviations and acronyms:

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative