

page 1/7 RESIN GLAZE Primer

Printing date: January 25, 2017

SECTION 1. Identification of the substance or mixture and of the supplier

1.1 Product identifier

Trade Name:

RESIN GLAZE "Primer"

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Dental material Uses advised against: No further data

1.3 Details of the supplier of the safety date sheet

Company/Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983, JAPAN

Phone: +81-75-561-1112 Fax: +81-75-275-4795

Section in Charge: Quality Assurance Section

1.4 Emergency Telephone Number

+81-75-561-1112

SECTION 2. Hazards identification

2.1 GHS Classification

PHYSICAL HAZARDS

FLAMMABLE LIQUIDS Category 2
PYROPHORIC LIQUIDS Not Classified

HEALTH HAZARDS

ACUTE TOXICITY-ORAL Not Classified **ACUTE TOXICITY-DERMAL** Not Classified Not Classified ACUTE TOXICITY-INHALATION(VAPOURS) SKIN CORROSION/IRRITATION Category 2 EYE DAMAGE/IRRITATION Category 2A SENSITIZATION-RESPIRATORY Category 1 SENSITIZATION-SKIN Category 1 **GERM CELL MUTAGENICITY** Not Classified CARCINOGENICITY Not Classified TOXIC TO REPRODUCTION Category 2

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE)

Category 3 (respiratory tract irritation, narcotic effects)

SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE)

Category 1 (central nervous system, respiratory organ)

ENVIRONMENTAL HAZARD

HAZARDOUS TO THE AQUATIC ENVIRONMENT-ACUTE HAZARD

Category 3

HAZARDOUS TO THE AQUATIC ENVIRONMENT-CHRONIC HAZARD

Not Classified

The thing without mention is out of a classification object. Or cannot classify it.



page 2/7
RESIN GLAZE
Primer

Printing date: January 25, 2017

2.2 Label elements SYMBOL:







GHS02

)2 GHS08 GHS0[·]

HAZARD-DETERMINING COMPONENTS OF LABELLING

Methyl Methacrylate

SIGNAL WORD: Danger HAZARD STATEMENTS

Highly flammable liquid and vapor.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause respiratory irritation.

May cause drowsiness and dizziness.

Suspected of damaging fertility or the unborn child.

May cause damage to organs through prolonged or repeated exposure. (central nervous system, respiratory organ)

Harmful to aquatic life.

PRECAUTIONARY STATEMENTS

[Prevention]

Do not handle until all safety precautions have been read and understood.

Wear protective gloves and eye/face protection.

Do not breathe mist/vapors.

Do not eat, drink or smoke when using this product.

Keep away from ignition sources such as heat/sparks/open flames-No smoking.

Use only outdoors or in a well-ventilated area.

Keep container tightly closed.

Wash hands thoroughly after handling.

Avoid release to the environment.

[Response]

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation occurs: Get medical advice/attention.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED: Rinse mouth.

Call a POISON CENTER or doctor /physician if you feel unwell.

[Storage]

Store container tightly closed in cool/well-ventilated place.

Version Number 4



page 3/7
RESIN GLAZE
Primer

Printing date: January 25, 2017

[Disposal]

Dispose of contents and container in accordance with regulation.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

SECTION 3. Composition/information on ingredients

- 3.1 Chemical characterization: Mixtures
- 3.2 Description: Mixture of substances listed below with nonhazardous additions.
- 3.3 Dangerous components:

Methyl Methacrylate [Cas.No.80-62-6] 90-99 %

Multifunctional monomer

Others

3.4 Additional information: For the wording of the listed risk phrases refer to section 2

SECTION 4. First-aid measures

4.1 Description of first aid measures

Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

Skin contact: Wash immediately with soap and plenty of water. If on skin, skin irritation, get

medical advice/attention.

Ingestion: Rinse mouth and seek medical advice if necessary.

Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5. Fire-fighting measures

5.1 Extinguishing Media:

CO2, Dry chemical, Foam

5.2 Special hazards arising from the substance or mixture:

Easily flammable liquid in room temp.

5.3 Advice for firefighters:

Wear fire protective cloth and self-contained breathing apparatus, if necessary.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid contact with eyes and skin.

6.2 Environmental Precautions:

Send to approved treatment/disposal company or dispose according to local, state and federal regulations.

Version Number 4



page 4/7
RESIN GLAZE
Primer

Printing date: January 25, 2017

6.3 Methods and material for containment and cleaning Up:

Wipe up and discard in a stable container.

6.4 Reference to other section:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7. Handling and storage

7.1 Precautions for safe handling:

Handle in a well ventilated place.

Keep away from open flames, sparks and sources of heat. No smoking.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a cool and dark area with container tightly closed.

Separated from strong oxidants.

7.3 Specific end use(s):

No further relevant information available.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters:

Exposure limits:

Methyl Methacrylate; ACGIH 50 ppm TWA 100 ppm STEL

8.2 Exposure controls:

Respiratory Protection:

Dust mask

Skin Protection: Hand Protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given

for the product/ the preparation/the chemical mixture.

Selection of the glove material on consideration of the penetration times,

rates of diffusion and the degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:



page 5/7
RESIN GLAZE
Primer

Printing date: January 25, 2017

Butyl rubber, BR Nitrile rubber, NBR

Eye Protection: Safety goggles

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance/Odor/Colour: Colorless liquid with sweet odor

Odour threshold Not determined.

pH Not determined.

Melting point/freezing point Not determined.

≈ 100 °C **Boiling Point:** Flash point: 11 °C (closed) Evaporation rate Not determined. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Not determined. Vapour pressure Not determined. Vapour density Not determined. Relative Density: 0.94 (water=1)Solubility: water solubility Insoluble

Partition coefficient: n-octanol/water Not determined.

Auto-ignition temperature 421 °C

Decomposition temperature Not determined. Viscosity Not determined. Explosive properties Not applicable. Oxidising properties Not applicable.

9.2 Other information

No further relevant information available.

SECTION 10. Stability and reactivity

10.1 Reactivity:

No further relevant information available.

10.2 Chemical stability:

Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions:

No dangerous reactions known.

10.4 Condition to Avoid:

Avoid direct sunlight, excess heat, flame and other source of ignition.

10.5 Incompatible materials:

Strong oxidizing materials.

10.6 Hazardous Decomposition Products:

None under normal conditions of storage and use.

SECTION 11. Toxicological information

11.1 Information on toxicological effects:

Version Number 4



page 6/7 RESIN GLAZE Primer

Printing date: January 25, 2017

Acute toxicity: Methyl Methacrylate;

Oral rat LD50 7900 mg/kg
Dermal rabbit LD50 > 5000 mg/kg

Inhalation rat LC50 7093 ppm/4H(Vapor)

Skin corrosion/irritation: H315 Causes skin irritation.

Eye damage/irritation: H319 Causes serious eye irritation.

Sensitization to the respiratory tract:

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

Skin sensitization: H317 May cause an allergic skin reaction.

Germ cell mutagenicity/Genotoxicity:

H361 Suspected of damaging fertility or the unborn child.

Carcinogenicity: Methyl Methacrylate;

Classified by IARC as group 3, ACGIH as group A4

EPA class E

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure):

H335 May cause respiratory irritation. H336 May cause drowsiness or

dizziness.

Specific target organ toxicity (repeated exposure):

H373 May cause damage to organs through prolonged or repeated

exposure. (central nervous system, respiratory organ)

Aspiration hazard: Based on available data, the classification criteria are not met.

SECTION 12. Ecological information

12.1 Toxicity:

Methyl Methacrylate;

Organism Toxicity:

For Daphnia magna acute toxicity EC50/48hr 69mg/L.

Persistence/degradability:

Readily biodegradable. Degradability by BOD is 94.4%.

Bioaccumulation:

Bioaccumulation is not expected to be significant. Log Kow=1.38.

12.2 Persistence and degradability:

No further relevant information available.

12.3 Bioaccumulative potential:

No further relevant information available.

12.4 Mobility in soil:

No further relevant information available.

12.5 Results of PBT and vPvB assessment:

Not applicable.

12.6 Other adverse effects:

No further relevant information available.

Version Number 4



page 7/7
RESIN GLAZE
Primer

Printing date: January 25, 2017

SECTION 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of contents/container to in accordance with local/regional/national/international regulations.

SECTION 14. Transport information

14.1 UN number: 1247

14.2 UN proper shipping name: Methyl methacrylate monomer, stabilized

14.3 Transport hazard class(es): 3 Flammable liquids

14.4 Packing group:

14.5 Environmental hazards: No further relevant information available.

14.6 Special precautions for user: Warning: Flammable liquids.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable.

SECTION 15. Regulatory informati

Follow all regulations in your country.

SECTION 16. Other information

This product is intended for use by dental professionals. (instrument/material)

Relevant phrases:

H225	Highly	flammable	liquid	and vapour.
------	--------	-----------	--------	-------------

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated

exposure. (central nervous system, respiratory organ)

H402 Harmful to aquatic life.

Abbreviations and acronyms:

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative